Assessment of Primary Care Resources and Supports for Chronic Disease Self Management (PCRS)-UK version^{1,2,3}

Individuals interested in using the PCRS in quality improvement work or research are free to do so. We request that you not change the wording or content of the questions and that attribution to the Robert Wood Johnson Foundation *Diabetes Initiative* appears prominently on all pages. We would appreciate an e-mail or phone call from users of the tool, so we can track its dissemination. We also ask that users be willing to share results and feedback about the instrument with us so that we can continually update our work. If you need written documentation from us verifying permission to use the PCRS, please contact:

Robert Wood Johnson Foundation *Diabetes Initiative* National Program Office Washington University in St. Louis School of Medicine Division of Health Behavior Research 4444 Forest Park Avenue Suite 6700

St. Louis, MO 63108-2212 Phone: 314-286-1900

E-mail: diabetes@dom.wustl.edu

http://diabetesinitiative.org

¹ http://diabetesinitiative.org/lessons/tools.html

² Brownson CA, Miller D, Crespo R, Neuner S, Thompson JC, Wall JC, Emont S, Fazzone P, Fisher EB, Glasgow RE. Development and Use of a Quality Improvement Tool to Assess Self-Management Support in Primary Care. *Joint Commission Journal on Quality and Patient Safety*. 2007 Jul;33(7):408-16.

³ Shetty G, Brownson CA. Characteristics of Organizational Resources and Supports for Self Management in Primary Care. *The Diabetes Educator*. 2007 Jun;33(Suppl 6):185S-192S.

Background and User Guide

Purpose

This survey was developed by the Advancing Diabetes Self Management (ADSM) Program of the Robert Wood Johnson Foundation *Diabetes Initiative*. The ADSM grantees wanted an instrument that would further delineate and facilitate assessment of the self- management component of the Chronic Care Model. The purpose of the PCRS is to help primary care settings focus on actions that can be taken to support self management by patients with diabetes and/ or other chronic conditions. Specific goals are that it:

- 1. Function as a self-assessment, feedback and quality improvement tool
- 2 Characterize optimal performance of providers and systems as well as gaps in resources, services and supports
- 3. Promote discussion among patient care team members that can help build consensus for change and plans for improvement
- 4. Give teams a way to measure progress over time.

Who should use this tool?

This tool was developed for primary health care settings interested in improving self-management support systems and service delivery. It is to be used with multi-disciplinary teams (e.g. doctors, mid-level practitioners, nurses, educators, medical assistants, behavioral health specialists, social workers, dieticians, community health workers or others) that work together to manage patients' health care. We suggest that teams use it periodically (e.g., quarterly, semi-annually) as a way to monitor their progress and guide the integration of self-management supports into their system of health care.

Why another assessment tool?

The PCRS can be used along with other tools such as the Assessment of Chronic Illness Care (ACIC).⁴ While it is consistent with and complementary to the ACIC, the PCRS focuses exclusively and more comprehensively on self-management support. Using the PCRS to initiate quality improvement processes should lead to improved patient and staff competence in self-management processes and improved behavioral and clinical outcomes among patients.

⁴ Bonomi AE, Wagner EH, Glasgow RE, VanKorff R. Assessment of chronic illness care (ACIC): a practical tool to measure quality improvement. *Health Services Research*. 2002 Jun;37(3):791-820.

How is the PCRS organized?

This survey tool consists of 16 characteristics of self-management support that are separated into two categories: patient support and organizational support. (Definitions provided in the Appendix). Below the characteristic name are descriptions of four levels of performance from lowest on the left (D) to highest on the right (A).

- D is the lowest level; it is an indication of inadequate non-existent activity.
- C pertains to the patient-provider level. At this level, implementation is sporadic or inconsistent; patient-provider interaction is passive.
- B pertains to the team level. At this level, implementation is done in an organized and consistent manner using a team approach; services are coordinated.
- A is the highest level; it assumes the B level **plus** system-wide adoption and integration of that aspect of self-management support.

With the exception of level D, each level has three numbers from which to select. This allows team members to consider to what degree their team is meeting the criteria described for that level; that is, how much of the criteria and/ or how consistently their team meets this criteria.

Completing the PCRS:

- Each member of the team fills out the assessment independently, reflecting a specified period of care delivery (e.g., last quarter) for a specific group of patients (e.g., those with specific condition, those seen by certain patient care teams, etc.).
- Using the 1 10 scale provided, respondents circle one numeric rating for each of the 16 characteristics.
- There are no right or wrong answers; scores are based on individuals' knowledge, experience and observation of how well the team is addressing the characteristic shown.
- When finished, team members may transfer their numeric answers onto the score sheet at the end of the survey. The score sheet can be returned to the person coordinating the assessment so scores can be compiled for team review and discussion.

Using the results:

- When all members have completed the tool, it is recommended that the team meet to share comments, insights and rationale
 for scores. To facilitate the discussion, the person coordinating the assessment may want to prepare a summary list of the
 results so that team members can easily see the range of scores on each item, the average score for each item or other
 helpful information. (Note: if the assessments are being filled out during a team meeting, results can be recorded in real time
 as part of the discussion.).
- Discussion should NOT be focused on "right" or "wrong", but rather why various ratings were given. The value of this tool is not in the number each member assigns, but in the improvement process that is initiated by discovery of discrepancies or gaps in capacity. Discrepancies in scores offer an important opportunity for discussion that can lead to improved communication and team function.
- Based on the discussion and consensus among members, teams may chose to develop quality improvement plans in one or more areas of self-management support.
- Using the PCRS periodically gives teams a way to measure the impact of their improvement processes and facilitates the integration of self-management supports into their system of care.

Individual Instructions for Completing the PCRS *

(PCRS), to help us monitor and improve our support for patient self management. Although the survey can be answered regarding any of a number of chronic illness conditions, for today we would like you to rate the care your team provides for yourpatients only.
Each team member's perspective is unique and valuable. For this reason, please complete the survey independently , before discussing your ratings with other team members.
When considering your responses to each item, use the previous months as the timeframe.
Using the 1 – 10 scale in each row, give one numeric rating for each of the 16 characteristics. Please rate your patient care team on the extent to which it addresses each self-management characteristic for those patients specified above. (Definitions of characteristics are provided in the Appendix following the survey). In general, to warrant a rating in the highest category (8, 9 or 10), that characteristic of self-management support should be consistently and systematically integrated into care in a way that is sustainable.
There are no right or wrong answers. If you are unsure or do not know, please give your best guess, and make notes on the side (or in the comment section of the score sheet) regarding any thoughts or questions you have about that item.
Transfer your scores to the score sheet and return the score sheet (or a copy of it) to the person coordinating the assessment, (name), by (date). Please make sure you also complete the descriptive information in the box at the top of the page.
After all team members have completed their surveys individually, scores will be aggregated and the team will meet to discuss the results. Feel free to bring your completed assessment to the meeting for reference.
If you have any questions, need assistance or clarification, please contact (name) at (contact info). Thank you.

^{*} The team leader or designated assessment coordinator should complete this form and distribute it with the PCRS to team members. The instructions may be tailored as appropriate for your setting.

To be filled in by the assessment coordinator:

Site/ Location:	Team:
Focus of assessment or patient population under cons	sideration (e.g., those with specific condition, those seen by certain patient care
teams):	_Time period under consideration:
To be completed by respondent: My role in team:	My profession:

I: PATIENT SUPPORT (circle one NUMBER for each characteristic) **Quality Levels** Characteristic A (=all of B plus these) D ...is not standardized ...is standardized, fairly ...is not done ...is an integral part of 1. Individualized comprehensive and documented planned care for chronic Assessment of and/ or does not prior to initial goal setting; takes into disease patients; results are Patient's Selfconsistently include account language, literacy and documented, systematically most self-management Management culture; assesses patient's selfreassessed and utilized for **Educational Needs** components* management knowledge, behaviors, planning with patients confidence, barriers, resources, and learning preferences 10 ...occurs sporadically or 2. Patient Self-...plan is developed with patient (and ...is documented in patients' ...does not Management without tailoring to family if appropriate) based on notes; is an integral part of occur patient skills, culture, individualized assessment: is the care plan for patients Education educational needs. documented in the patient's notes; all with chronic diseases; learning styles or team members generally reinforce involves family and community resources; is resources same key messages systematically evaluated for effectiveness 10

^{*}e.g., for diabetes: physical activity, healthy eating, emotional health, medication management, monitoring, reducing risks and managing daily roles and activities

I: PATIENT SUPPORT (circle one NUMBER for each characteristic)										
	Quality Levels									
Characteristic	D		C	;			A (=all of B plus these)			
3. Goal Setting/ Action Planning	is not done	occurs but goals are established primarily by health care team rather than developed			their health specific, do to any tear	member(s) of ; goals are and available	is an integral part of care for patients with chronic diseases; goals are systematically reassessed and discussed with patients; progress is documented in patients' notes			
	1	2	3	4	5	6	7	8	9	10
4. Problem- Solving Skills	are not taught or practiced with patients	are taught and practiced sporadically or used by only a few team members			are rout practiced using approache members of	nce-based	is an integral part of care for people with chronic diseases; takes into account family, community and environmental factors; results are documented and routinely used for planning with patients			
	1	2	3	4	5	6	7	8	9	10
5. Emotional Health	is not assessed	is not routinely assessed; screening and treatment protocols are not standardized or are nonexistent			for treatme are actively and treatm	s established rral; patients n goal setting	systems are in place to assess, intervene, follow up and monitor patients' progress and coordinate among providers; standardized screening and treatment protocols are used			
	1	2	3	4	5	6	7	8	9	10

Characteristic D C B A (=all of B plus these) is central to decisions about self- management goals and treatment options; is encouraged by health care team and office staff T. Patient Social Support D C Bis central to decisions about self- management goals and treatment options; is encouraged by health care team and office staff D C Bis an integral part of the system of care; is explicit to patients; is accomplished through collaboration among patients and team members; takes into account environmental, family, work or community barriers and resources D C B A (=all of B plus these)is an integral part of the system of care; is explicit to patients; is accomplished through collaboration among patients and team members; takes into account environmental, family, work or community barriers and resources 1 2 3 4 5 6 7 8 9 10 S. Linking to Community Resources 1 2 3 4 5 6 7 8 9 10 S. Linking to Community Resources 1 2 3 4 5 6 7 8 9 10 S. Linking to occur D Community Resources 1 2 3 4 5 6 7 S. S 6 7 S. S 9 10 S. Systems are in place to available to meet individual needs (e.g., significant others, education groups, support groups) D Community Resources 1 2 3 4 5 6 7 S. S 9 10 S. Systems are in place to available to meet individual needs (e.g., significant others, education groups, support groups) D S. Linking to occur D S. Link		Quality Levels												
A (=all of B plus these) Occur Occu					QL	/eis		1						
Involvement Cocur	Characteristic	D		С			A (=all of B plus these)							
7. Patient Social Support Sup			educa with o	educator directs care with occasional patient			is central to decisions about self- management goals and treatment options; is encouraged by health				is an integral part of the system of care; is explicit to patients; is accomplished through collaboration among patients and team members; takes into account environmental, family, work or community			
Support addressed general terms, not based on an assessment of patient's individual needs or resources 1 2 3 4 5 6 7 8. Linking to Community Resources does not community Resources general terms, not based on an assessment of patient's individual needs or resources sindividual needs or resources 1 2 3 4 5 6 7 8 9 10occurs through a referral system; team discusses patient needs, barriers and resources before making referral sindividual needs or resources 1 2 3 4 5 6 7 8 9 10systems are in place for coordinated referrals, referral follow-up and communication among practices, resource		1	2	3	4	5	6	7	8	9	10			
8. Linking to Community Resourcesdoes not occur pamphlet of contact information for relevant resourcesis limited to a list or pamphlet of contact information for relevant resourcesis limited to a list or pamphlet of contact team discusses patient needs, barriers and resources before making referral system; coordinated referrals, referral follow-up and communication among practices, resource			genera based asses individ	general terms, not based on an assessment of patient's individual needs or			collaborative exploration of resources available to meet individual needs (e.g., significant others, education				assess needs, link patients with services and follow up on social support plans using household, community, or other			
Community Resources pamphlet of contact information for relevant resources pamphlet of contact team discusses patient needs, barriers and resources before making referral coordinated referrals, referral follow-up and communication among practices, resource		1	2	3	4		6	7	8	9	10			
	Community		pamphlet of contact information for relevant			team disc barriers a	coordinated referrals, referral follow-up and communication among							

II. ORGANIZATIONA	L SUPPORT (C	ircle on	e NUN	IBER for eac	h charact	eristic)				
	Quality Levels									
Characteristic	tic D C					В		A (=all of B plus these)		
1. Continuity of Care	does not exist	is limited; some patients have an assigned primary care provider (PCP); planned visits and routine lab work occur sporadically			of patier primary scheduli with app involven	its to a PCP care team n ng of routing ropriate teat nent of most ng patients	e planned visits m members, and team members	systems are in place to support continuity of care, to assure all patients are assigned to a provider or team member, to schedule planned visits and to track and follow up on all patient visits and labs		
	1	2	3	4	5	6	7	8	9	10
2. Coordination of Referrals	does not exist	is sporadic, lacking systematic follow-up, review or incorporation into the patient's care plan			staff wor track an and coo	king togethed review conditional review conditional relationships to the conditions are seen to the co	am and office er to document, mpleted referrals specialists in t's care plan	is accomplished by having systems in place to track incomplete referrals and follow up with patients and/ or specialists to complete referrals		
	1	2	3	4	5	6	7	8	9	10
3. Ongoing Quality Improvement (QI)	does not exist	is possible because organized data are available, but practice has not initiated specific QI projects in this area			team that trends a	ıt üses data	QI projects to	uses a registry, electronic medical record or other system to routinely track key indicators of measurable outcomes; is done through a structured and standardized process with administrative support and accountability to management		
	1	2	3	4	5	6	7	8	9	10

II. ORGANIZATIONAL SUPPORT (Circle one NUMBER for each characteristic) **Quality Levels** Characteristic D A (=all of B plus these) ...does not ...is incomplete or does ... is an integral part of 4. System for ...includes charting or not promote documentation of care plan and selfpatient medical records; Documentation of exist Self-Management documentation (e.g., no management goals; is used by the information is easily forms in place) team to guide patient care accessible to all team Support Services members and organized to see progression; charting or documentation includes care provided by all care team members and referral specialists 10 is solicited through focus groups, 5. Patient Input ... does not ... mechanisms exist, but ...is an essential part of are not promoted; input surveys, suggestion boxes, or other management's decisionoccur solicited sporadically means for both service and service making process; systems are delivery improvements under in place to ensure consumer consideration; patients are made input regarding practice aware of mechanisms for input and policies and service delivery; invited or encouraged to participate there is evidence that management acts on the information 10 ...is limited to special ...is routine throughout the practice; ...is built into the practice's 6. Integration of Self-.... does not projects or to select Management team members reinforce consistent strategic plan; is routinely exist Support into Primary strategies monitored for quality teams improvement and visibly Care supported by leadership 5 7 10 8

II. ORGANIZATIONAL SUPPORT (Circle one NUMBER for each characteristic) **Quality Levels** Characteristic D C В A (=all of B plus these) ... does not ...is well defined; each member has ...is a concept embraced, 7. Patient Care ...exists but little Team (internal to the cohesiveness among defined roles and responsibilities; supported and rewarded by exist practice) there is good communication and the senior leadership; team members cohesiveness among members: "teamness" is part of the members are cross-trained, have system culture; case complementary skills conferences and/or multidisciplinary team reviews are regularly scheduled 10 8. Doctor, Team and ...occurs on a limited ...is supported and ... does not ...is provided for some team Staff Selfbasis without routine members using established and incentivized for all key team occur standardized curricula; practice Management members; continuing follow-up or monitoring **Education & Training** assesses and monitors performance education is routinely provided to maintain knowledge and skills; job descriptions reflect skills and orientation to self management 1 2 3 5 6 8 9 10

Site/ Location: ______ Team: _____

Focus of assessment or patient population under consideration:

My role on the team:	
Summary S	Score Sheet
Please transfer the rating (1-10) that you gave each characteristic o ask for a copy of this sheet or your survey so that team results can l	
I. Patient SupportScore (number selected)	II. Organizational SupportScore (number selected)
1. Individualized assessment	1. Continuity of care
Total Score	Total Score

Comments: (use reverse side if needed and/or write comments directly on the survey and provide a copy to the assessment coordinator)

Appendix: Definitions of self-management support characteristics in the PCRS

PATIENT SUPPORT

- 1. **Individualized assessment of patient's self-management educational needs:** The process of determining patient-specific educational needs, barriers, skills, preferences, learning styles and resources for self management.
- 2. **Self-management education:** An interactive, collaborative and ongoing process of providing information and instruction to support people's ability to successfully manage their health condition, their daily life activities, and the emotional changes that often accompany having a chronic condition.
- 3. **Collaborative goal setting:** The process of providers and patients working together on identifying something the patient wants to accomplish and agreeing on a plan for getting started. Well formulated goals are "SMART" (Specific, Measurable, Action-oriented, Realistic, and Time-limited).
- 4. **Problem solving skills:** Skills patients can learn and use to overcome barriers to healthy self management. The process involves a series of steps: identifying the problem or barrier, identifying possible solutions, selecting and implementing the one that seems best, evaluating the results, and planning next steps accordingly.
- 5. **Emotional health:** Mental or emotional health generally refers to an individual's thoughts, feelings and moods. Good mental health is defined in the Surgeon General's report as "the successful performance of mental function, resulting in productive activities, fulfilling relationships with other people, and the ability to adapt to change and cope with adversity." Difficult emotions, on the other hand, run the gamut from stress and anxiety to depression and psychopathology and can be a barrier to healthy self management.
- 6. **Patient involvement in decision making:** Patient involvement means that patients--and their families--are involved in planning and making decisions about the patient's health care. In this approach, patients are viewed as key members of the health care team and have access to useful information to promote health and manage disease. Patient involvement implies shared decision making about care and ensuring that the patient's values guide all clinical decisions.
- 7. **Patient social support:** The assistance or help that is accessible to a patient through their social ties to others including family, friends, neighbors and peers. Social support can take many forms such as emotional support, tangible assistance, information or helpful feedback.
- 8. **Link to community resources:** Community resources include programs, services, and environmental features that support selfmanagement behaviors. Programs and services that support self management may be available through community agencies, schools, faith-based organizations or places of work. Examples of environmental supports include safe, accessible and affordable places for physical activity and for buying healthy foods.

ORGANIZATIONAL SUPPORT

- 1. **Continuity of Care:** The coordination and smooth progression of a patient's care over time and across disciplines. Continuity of care is supported by systems that use a team approach to care, schedule planned visits and follow up on visits and lab work.
- 2. **Coordination of referrals:** Effective collaboration and communication among primary care providers and specialists. Coordination of referrals is supported by systems that track referrals, monitor incomplete referrals, and ensure follow-up with patients and/or the specialists to complete referrals.
- 3. **Ongoing Quality Improvement:** The process of using data on a regular basis to identify trends, undertake processes to improve aspects of service delivery, and measure the results. Patient care teams often use the Plan, Do, Study, Act (PDSA) rapid cycle improvement process to facilitate the improvement process.
- 4. **System for Documentation of Self-Management Support Services:** Standardized processes used by members of the patient care team to record patient self-management goals and progress notes into patient notes (or electronic medical records) and routinely monitor their progress.
- 5. **Patient Input:** The ideas, suggestions and feedback from patients about the services and quality of care provided by your team or health care setting. This occurs when there are systems or procedures in place to solicit input thought such mechanisms as focus groups, surveys, suggestion boxes, or patient advisory committees.
- 6. **Integration of Self-Management Support into Primary Care:** Integration occurs when self-management support is a fundamental and routine part of all chronic illness care.
- 7. **Patient Care Team:** A patient care team is a multidisciplinary group (e.g. doctors, mid-level practitioners, nurses, educators, medical assistants, behavioral health specialists, social workers, dieticians, community health workers or others) that works together to manage a patient's health care.
- 8. **Doctor, Team and Staff Self-Management Education & Training:** Opportunities for members of the patient care team to increase their knowledge and improve skills and practices for improving self-management support. Health care systems can support continuing education and training by setting an expectation for excellence, offering training to all team members, ensuring that new team members have access to orientation and training, assessing and monitoring performance and providing incentives for the adoption of new practices and skills.